



ELECTRIC FIREPLACES

2024





Enjoy the warmth of a fireplace wherever you go

ReadyWarm fireplaces create a warm and comfortable atmosphere even on the coldest winter nights, while becoming a star element of home decoration with an elegant design, care and flames with 2 LED lights adjustable in two intensities that endows the environment a presence that is hard to beat.

Index

Enjoy the warmth of a fireplace wherevery Power up to 2000 W Up to 30 m Up to 35 inches Adjustable LED flames ReadyWarm 1500 Flames Electric fireplace ReadyWarm 2000 Flames Electric fireplace Decorative wall fireplace Ready Warm 220 Decorative wall fireplace Ready Warm 260 Decorative wall fireplace Ready Warm 350 Chimenea eléctrica ReadyWarm 2250 Cur Chimenea eléctrica ReadyWarm 2650 Cur ReadyWarm 2700 Design Flames Black ele ReadyWarm 2700 Design Flames White e

you go	2
	4
	4
	4
	4
2	6
e	7
0 Curved Flames	8
00 Curved Flames	9
0 Curved Flames	10
ved Flames Connected	11
ved Flames Connected	12
ectric fireplace	14
lectric fireplace	15
	10

POWER UP TO 2000 W

Optimum performance

Cecotec's electric fireplaces provide your rooms with a pleasant temperature and a cosy atmosphere thanks to their up to 2000 W of power.

UP TO 30 M²

Maximum coverage

Place your fireplace in large rooms and don't worry about getting cold thanks to its large coverage of up to 30 m².

UP TO 35 INCHES

Size to suit you

These electric fireplaces are up to 35 inches in size, giving your home an elegant and sophisticated atmosphere.

ADJUSTABLE LED FLAMES

It creates the best atmosphere

The flames have different LED lights inside that can be dimmed in various intensities to personalise your ambience.

THERMOSTAT KNOB



WALL ASSEMBLY¹



2Not available on Readywarm 1500 Flames and Readywar 2Not available on ReadyWarm 1500 Flames and ReadyWar

REMOTE CONTROL²

0 Flames models. 0 Flames models

ReadyWarm 1500 Flames **Electric fireplace**

Standing electric fireplace with 1500 W power, two power levels, adjustable thermostat and flame control.

FEATURES:

Fireplace with 1500 W of power to achieve a warmer atmosphere in the room in which it is placed.

Perfect for a warmer atmosphere in rooms of about 20 m².

It has an adjustable thermostat, thanks to which it is possible to select between 2 power levels with 800 and 1500 W.

Independent control of the flames: it turns on the flame light without the need to activate the heat function and vice versa.

Very realistic fire effect that creates a cosy and ideal atmosphere in the home in a clean and safe manner, without the need for sparks, combustion, smoke or residues. Fast heating: the fireplace reaches the desired temperature quickly to create a warm

atmosphere instantly. Elegant and compact design to be placed in any room.

Total safety thanks to its overheating protection system.

COMPOSITION:

Electric fireplace, instruction manual

ReadyWarm 2000 Flames Electric fireplace

Standing electric fireplace with 2000 W power, two power levels, adjustable thermostat and flame control.

FEATURES:

Fireplace with 2000 W of power to achieve a warmer atmosphere in the room in which it is placed.

Perfect for a warmer atmosphere in rooms of about 25 m². It has an adjustable thermostat, thanks to which it is possible to select between 2 power levels with 1000 W and 2000 W.

Independent control of the flames: it turns on the flame light without the need to activate the heat function and vice versa.

Very realistic fire effect that creates a cosy and ideal atmosphere in the home in a clean and safe manner, without the need for sparks, combustion, smoke or residues. Fast heating: the fireplace reaches the desired temperature quickly to create a warm atmosphere instantly.

Elegant and compact design to be placed in any room. Total safety thanks to its overheating protection system.

COMPOSITION:

Electric fireplace, instruction manual

41 x 26 x 45 cm 4.26 kg 41 x 26 x 45 cm 4.26 kg

24.5 x 39 x 48 cm 3.33 kg

220-240 V 50-60 Hz 2000 W



8435484082686 (Box) 18435484082683 (Master) 08268

39.5 x 27.5 x 44 cm 3.82 kg 39.5 x 27.5 x 44 cm 3.82 kg

46 x 22.5 x 37.5 cm 2.9 kg



220-240 V 50-60 Hz 1500 W

8435484082679 (Box) 18435484082676 (Master) 08267



Decorative wall fireplace Ready Warm 2200 Curved Flames

22" decorative electric fireplace with 2000 W. 2 intensities: 1000 W, and 2000 W. Remote control. Curved tempered-glass panel. Adjustable flame. Weekly timer. Open-door sensor.

FEATURES:

The fireplace is 22", which facilitates its installation in any room at home. Very powerful, 2000 W, allows heating the whole room and maintaining the temperature. Includes remote control, for easy power on, off and operation and control of the fireplace. Choose one of its modes: 1000 W or 2000 W. Adapt the heating power to each moment. It is capable of heating rooms of up to 20 m² in very little time.

The flames have 2 LED lights inside that can be adjusted to 2 different intensities. Its curve design provides this fireplace with elegance and a greater viewing angle. Weekly and daily timer that allows scheduling the fireplace on the desired day at the desired time.

COMPOSITION:

Product Remote control Instruction manual

Decorative wall fireplace Ready Warm 2600 Curved Flames

26" decorative electric fireplace with 2000 W. 2 intensities: 1000 W, and 2000 W. Remote control. Curved tempered-glass panel. Adjustable flame. Weekly timer. Open-door sensor.

FEATURES:

The fireplace is 26", which facilitates its installation in any room at home. Very powerful, 2000 W, allows heating the whole room and maintaining the temperature. Includes remote control, for easy power on, off and operation and control of the fireplace. Choose one of its modes: 1000 W or 2000 W. Adapt the heating power to each moment. It is capable of heating rooms of up to 25 m² in very little time. The flames have 2 LED lights inside that can be adjusted to 2 different intensities. Its curve design provides this fireplace with elegance and a greater viewing angle. Weekly and daily timer that allows scheduling the fireplace on the desired day at the desired time.

COMPOSITION:

Product Remote control Instruction manual



60 x 21 x 46.5 cm 8 kg 60 x 21.4 x 47 cm 8 kg

39.8 x 16.5 x 56 cm 6.76 kg



220-240 V 50 Hz 1750-2000 W







72 x 19.5 x 60 cm 11.66 kg 72.5 x 20.5 x 60.2 cm 11.66 kg

66.5 x 13.5 x 56 cm 9.82 kg



8435484053662 (Box) 18435484053669 (Master) 05366





Decorative wall fireplace Ready Warm 3500 Curved Flames

35" decorative electric fireplace with 2000 W. 2 intensities: 1000 W and 2000 W. Remote control. Curved tempered-glass panel. Adjustable flame. Weekly timer. Open-door sensor.

FEATURES:

The fireplace is 35", and provides the room where it is installed and the house with elegance and style.

Very powerful, 2000 W, allows heating the whole room and maintaining the temperature. Includes remote control, for easy power on, off and operation and control of the fireplace. Choose one of its modes: 1000 W or 2000 W. Adapt the heating power to each moment. It is capable of heating rooms of up to 30 m2 in very little time.

The flames have 2 LED lights inside that can be adjusted to 2 different intensities. Its curve design provides this fireplace with elegance and a greater viewing angle. Weekly and daily programmer that allows the fireplace to be programmed on the desired day and at the desired time.

COMPOSITION:

Product Remote control Instruction manual

P

10



Chimenea eléctrica ReadyWarm 2250 Curved **Flames Connected**

22" decorative electric fireplace with 2000 W maximum power. 2 intensities: 1000 W, and 2000 W. Wi-Fi control. Remote control. Curved tempered-glass panel. Adjustable flame. Weekly timer. Open-door sensor.

FEATURES:

The fireplace is 22", which facilitates its installation in any room at home. 2000 W great maximum power which allows you to heat the whole room and maintain the heat in it. Plus, it also has a 1000-W second power to reduce consumption and adapt it to the needs of every moment.

Its Wi-Fi control via smartphone and "EnergySilence" app allow you to select different operating settings of the fireplace.

Includes remote control, for easy power on, off and operation and control of the fireplace. It is capable of heating rooms of up to 20 m² in very little time. The flames have 2 LED lights inside that can be adjusted to 2 different intensities. Its curved design provides a greater viewing angle which, together with the stones inside, enhance the elegance of the fireplace to be placed anywhere in the home. Weekly and daily schedule to select the time range and days for the fireplace to operate.

COMPOSITION:

Product Remote control Instruction manual

> 60 x 20.8 x 47.5 cm 8 kg 60 x 20.8 x 47.5 cm 8 kg

55 x 16.5 x 39.5 cm 7.35 kg



AC220-240 V 50 Hz 1750-2000 W

8435484058131 (Box) 18435484058138 (Master) 05813

95 x 20 x 63 cm 15.86 kg

95 x 20 x 63 cm 15.86 kg

92 x 14.5 x 56 cm 14 kg

8435484053679 (Box)

18435484053676 (Master)

220-240 V 50 Hz

1750-2000 W

05367





Chimenea eléctrica ReadyWarm 2650 Curved Flames Connected

26" decorative electric fireplace with 2000 W maximum power. 2 intensities: 1000 W and 2000 W. Wi-Fi control. Remote control. Curved tempered-glass panel. Adjustable flame. Weekly timer. Open-door sensor.

FEATURES:

The fireplace is 26", which facilitates its installation in any room at home.

2000 W great maximum power which allows you to heat the whole room and maintain the heat in it. Plus, it also has a 1000-W second power to reduce consumption and adapt it to the needs of every moment.

Its Wi-Fi control via smartphone and its "EnergySilence" App allow you to select the various operating settings of the fireplace.

Includes remote control, for easy power on, off and operation and control of the fireplace. It is capable of heating rooms of up to 25 m² in very little time.

The flames have 2 LED lights inside that can be adjusted to 2 different intensities. Its curved design provides a greater viewing angle which, together with the stones inside, enhance the elegance of the fireplace to be placed anywhere in the home. Weekly and daily schedule to select the time range and days for the fireplace to operate.

COMPOSITION:

Product Remote control Instruction manual





72.7 x 19.7 x 60 cm 11.85 kg 72.7 x 19.7 x 60 cm 11.85 kg

66 x 15 x 52 cm 9.55 kg



AC220-240 V 50 Hz 1750-2000 W

Q

8435484058148 (Box) 18435484058145 (Master) 05814



ReadyWarm 2700 Design **Flames Black electric fireplace**

26" decorative electric fireplace with 2000 W. 2 intensities: 1000 W, and 2000 W. Remote control. Flat tempered glass panel. Adjustable flame. Weekly timer. Open-door sensor.

FEATURES:

The fireplace is 26", which facilitates its installation in any room at home. 2000 W great maximum power which allows you to heat the whole room and maintain the heat in it. Plus, it also has a 1000-W second power to reduce consumption and adapt it to the needs of every moment.

Includes remote control, for easy power on, off and operation and control of the fireplace. It is capable of heating rooms of up to 25 m² in very little time.

The flames have 2 LED lights inside that can be adjusted to 2 different intensities. Its flat design creates a sophisticated atmosphere and enhances its elegance. Plus, the handle provides great versatility to the user to be able to place the fireplace in the desired place. Very realistic fire effect that creates a cosy and ideal atmosphere in the home in a clean and safe manner, without the need for sparks, combustion, smoke or residues. Weekly and daily schedule to select the time range and days for the fireplace to operate.

COMPOSITION:

Product Remote control Instruction manual

ReadyWarm 2700 Design **Flames White electric fireplace**

26" decorative electric fireplace with 2000 W. 2 intensities: 1000 W, and 2000 W. Remote control. Flat tempered glass panel. Adjustable flame. Weekly timer. Open-door sensor.

FEATURES:

The fireplace is 26", which facilitates its installation in any room at home. 2000 W great maximum power which allows you to heat the whole room and maintain the heat in it. Plus, it also has a 1000-W second power to reduce consumption and adapt it to the needs of every moment.

Includes remote control, for easy power on, off and operation and control of the fireplace. It is capable of heating rooms of up to 25 m² in very little time. The flames have 2 LED lights inside that can be adjusted to 2 different intensities. Its flat design creates a sophisticated atmosphere and enhances its elegance. Plus, the handle provides great versatility to the user to be able to place the fireplace in the desired place. Very realistic fire effect that creates a cosy and ideal atmosphere in the home in a clean and safe manner, without the need for sparks, combustion, smoke or residues. Weekly and daily schedule to select the time range and days for the fireplace to operate.

COMPOSITION:

Product Remote control Instruction manual



72.3 x 19.6 x 60.2 cm 14.5 kg 72.3 x 19.6 x 60.2 cm 14.5 kg

14 x 66 x 52 cm 13.05 kg



Ŷ

220-240 ~ V 50 Hz 1750 - 2000 W



8435484058308 (Box) 18435484058305 (Master) 05830





72.3 x 19.7 x 60.2 cm 14.6 kg 72.3 x 19.7 x 60.2 cm 14.6 kg

14 x 66 x 52 cm 13.05 kg



220-240 ~ V 50 Hz 1750 - 2000 W



8435484058322 (Box) 18435484058329 (Master) 05832



-
0









READYWARM 1500 FLAMES

READYWARM READY WARM 2200 CURVED 2000 FLAMES FLAMES

READY WARM 2600 CURVED FLAMES

READY WARM READYWARM 3500 CURVED 2250 CURVED FLAMES CON-NECTED FLAMES

READYWARM 2650 CURVED FLAMES CON-NECTED

Reference	8267	8268	5365	5366	5367	5813	5814	5830	5832
Power (W)	1500 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000 W
Power levels	2	2	2	2	2	2	2	2	2
Coverage area (m²)	20 m ²	25 m ²	20 m ²	25 m ²	30 m ²	20 m ²	25 m ²	25 m ²	25 m ²
Curved design	×	×	~	✓	~	 ✓ 	~	✓	 ✓
Wall assembly	×	×	~	✓	~	 ✓ 	~	✓	 ✓
Inches	×	×	22	26	35	22	26	26	26
Base	×	×	×	X	×	×	×	✓	 ✓
Standing (with feet)	✓	 ✓ 	×	X	×	×	×	×	×
Remote control	×	×	 ✓ 	✓	~	 ✓ 	 ✓ 	 ✓ 	 ✓
Adjustable LED flames	~	 ✓ 	~	✓	~	 ✓ 	~	✓	 ✓
Weekly timer	~	 ✓ 	~	✓	~	 ✓ 	~	✓	 ✓
Thermostat knob	~	 ✓ 	 ✓ 	✓	v	 ✓ 	 ✓ 	✓	 ✓
Overheating protection	~	 ✓ 	 ✓ 	✓	v	 ✓ 	 ✓ 	✓	 ✓
Wi-Fi	×	×	×	X	×	 ✓ 	✓	×	×

16







READYWARM 2700 DE-SIGN FLAMES BLACK

READYWARM 2700 DESIGN FLAMES WHITE

